MS4 Annual Reporting - Account Manager View

2026 Annual MS4 Report - General Information Report Status: **Submitted**

Permittee: **FOUNTAIN HILL BORO MUNI AUTH LEHIGH CNTY** | NPDES Permit No.: **PAG132250**

Facility Name: **FOUNTAIN HILL BOROUGH STORMWATER**
Facility Address: **941 LONG STREET, FOUNTAIN HILL, PA, 18015**
Facility ID: **646828**
County: **Lehigh**
Municipality: **Fountain Hill Boro**
Effective Date: **06/26/2018**
Expiration Date:
Renewal Due Date:

MS4 Contact: **AMY BURKHART**
Title: **BORO MANAGER**
Phone: **610-867-0301**
Email: **boroughmgr@fhboro.org**

MS4 Report (Current Version)

Water Quality Information Module

Are there any discharges to waters within the Chesapeake Bay Watershed? **No**

Identify all surface waters that receive stormwater discharges from the permittee's MS4 and provide the requested information.

Receiving Water Name	Ch. 93 Class	Impaired	Cause(s)	TMDL	WLA
Lehigh River	**WWF, MF**	**Yes**	**Organic Enrichment/Low D.O., Siltation, Suspended Solids**	**No**	**No**

General Minimum Control Measure (MCM) Information Module

Have you completed all MCM activities required by the permit for this reporting period? **Yes**

List the current entity responsible for implementing each MCM of your SWMP, along with contact names and phone numbers.

MCM	Entity Responsible	Contact Name	Phone Number
#1 Public Education and Outreach on Stormwater Impacts	**Boro of Fountain Hill**	**Amy Burkhart, Borough Manager**	**610-867-0301**
#2 Public Involvement / Participation	**Boro of Fountain Hill**	**Amy Burkhart, Borough Manager**	**610-867-0301**
#3 Illicit Discharge Detection and Elimination (IDD&E)	**Boro of Fountain Hill**	**Amy Burkhart, Borough Manager**	**610-867-0301**
#4 Construction Site Stormwater Runoff Control	**Hanover Engineering**	**J. Bradley Youst, PE, Boro Engineer for PC and ZHB**	**610-691-5644**

#5 Post-Construction Stormwater Management in New Development and Redevelopment	**Hanover Engineering**	**J. Bradley Youst, PE, Boro Engineer for PC and ZHB**	**610-691-5644**
#6 Pollution Prevention / Good Housekeeping	**Boro of Fountain Hill**	**Jason Quarry, Public Works Supervisor**	**610-867-0301**

MCM #1 – Public Education & Outreach on Stormwater Impacts Module

BMP #1: Develop, implement and maintain a written Public Education and Outreach Program.

1. For new permittees only, has the written PEOP been developed and implemented within the first year of permit coverage? **Not Applicable**

2. Date of latest annual review of PEOP: **09/17/2026** Were updates made? **Yes**

3. What were the plans and goals for public education and outreach for the reporting period?

The plans and goals of the Public Education and Outreach Plan (PEOP) for the reporting period was to inform as many individuals as possible, including builders, land developers, students, residents, and Municipal employees of the importance of stormwater and the effects stormwater has on water quality and quantity. The PEOP identified numerous methods for the distribution of information, including the posting of information concerning MS4 regulations on the Borough's website; obtaining and/or developing newsletter articles to be sent to residents and made available on the website; hanging posters provided by the PA DEP and EPA in the Borough building and other public locations; adding information to the digital message board in the Borough lobby; providing public presentations to educate interested residents about stormwater management; providing a presentation to builders and land developers on stormwater management impacts, solutions, and regulatory requirements; providing educational materials on stormwater management to local schools for distribution to students; providing a website link to local schools for stormwater educational games and activity books, e.g., Stormwater Sentries, PA DEP's Kids Activities Book, etc.; locating central information centers in the Borough to post public information concerning stormwater-related issues; distributing "When it Rains, it Drains" brochure through mailings to homes and businesses; enacting Municipal program(s) to identify and label all catch basins; and coordinating with adjacent municipalities to plan for the most effective use of money, staff, and resources to effectively educate citizens about stormwater and its effects.

4. Did the MS4 achieve its goal(s) for the PEOP during the reporting period? **Yes**

5. Identify specific plans and goals for public education and outreach for the upcoming year:

The Borough should continue maintaining/frequently updating the website to offer new stormwater information, look for methods to continually improve outreach to all target audiences, and maintain postings in public areas. The Borough last distributed a newsletter in November 2018 and has a newsletter in production for Fall/Winter 2026. The plan is to distribute a newsletter twice annually and each will contain MS4-related material. The Borough should also look to other specific methods identified in the PEOP that are still being developed, including but not limited to, providing public presentations and presentations to builders and land developers, continuing to update the Borough's website to include MS4 and stormwater information, distributing educational materials to schools, enacting Municipal programs to identify and label catch basins, and exploring opportunities with adjacent municipalities.

BMP #2: Develop and maintain lists of target audience groups present within the areas served by your MS4.

1. For new permittees only, have the target audience lists been developed and implemented within the first year of permit coverage? **Not Applicable**

2. Date of latest annual review of target audience lists: **09/17/2026** Were updates made? **No**

BMP #3: Annually publish at least one educational item on your Stormwater Management Program.

1. For new permittees only, were stormwater educational and informational items produced and published in print and/or on the Internet within the first year of permit coverage? **Not Applicable**

2. Date of latest annual review of educational materials: **09/17/2026** Were updates made? **No**

3. Do you have a municipal website? **Yes**

URL: **www.fountainhill.org**

· If **Yes**, what MS4-related material does it contain?

The website has a "Stormwater" specific tab that contains information about the Stormwater Authority and the Borough's Stormwater Management Program, required forms, and an FAQ providing thorough explanations of the Borough's Stormwater Management Program; EPA's handout titled "Protecting Water Quality from Urban Runoff;" previous years' MS4 Annual Status Reports; Make a Payment platform for payment of the Stormwater Fee; Stormwater Authority Financials; Stormwater Authority Board Members, Stormwater Authority Meeting Minutes and Agendas; "Be Stormwater Smart" infographic by EPA; a copy of the Borough's PRP Plan; the Fountain Hill Borough MS4 Program PowerPoint presentation made at the Public Meeting initially addressing the proposed stormwater fee; a link to the Chesapeake Stormwater Network; the "Good Housekeeping Practices for... Auto Maintenance, Repair, and Fueling Operations" handout; and pet waste, car washing, and fertilizer EPA posters. All of the documents contained under the Stormwater tab are provided as supplemental information to MCM #1. The Borough will continue developing material to be published under this tab. The Borough's Code of Ordinances is also available on the website under "Government" tab and "Code of Ordinances." Website visitors may also click on the "Home" / "Community Links" tab that provides a link to the PA DEP website as well as links to neighboring municipalities who have published MS4 information that would be relevant for the residents of the Borough. Lastly, there are Complaint Forms and a Stormwater Review Application (for any new construction) under the "Residents & Businesses" / "Borough Forms & Information/Permit Applications" tab.

4. Describe any other method(s) used during the reporting period to provide information on stormwater to the public:

Through the Borough's Moving Permit requirement, the Borough is made aware of anyone moving in, out, and/or within the Borough. This provides the Borough with the opportunity to update resident mailing address (for possible future newsletter distribution) as well as providing new residents with approved pamphlets and brochures relating to MS4 and stormwater management. The Borough initially launched a Facebook page in December 2017, then temporarily discontinued the page until a formal Social Media Policy was in place, and relaunched the page during the 2021-2022 reporting period. As of the current reporting period, the Borough's Facebook page currently has 1,100 followers (an increase of 100 followers since last reporting period). The Borough posts an average of once per week and primarily includes information regarding community events, leaf collection, and recycling and waste pickup announcements. The Borough's Facebook page, and social media in general, is an effective tool for distributing information. Moving forward, the Borough should consider adding more MS4-related information. Lastly, the Borough's Nixle account currently has 2,388 contacts (an increase of 1,143 subscribers since last reporting period). Nixle alerts could act as an effective tool to notify subscribers of community events as well as emergency notifications.

5. Identify specific plans for the publication of stormwater materials for the upcoming year:

The Borough Manager and Stormwater Authority will be working with the Borough Engineer to develop new materials to be used on the website, made available to the public at the Borough Office, and/or published in future Borough Newsletters or social media. The Public Education and Outreach Plan will continue to be implemented and calls for appropriate public education and outreach materials through various effective media, including tracking of accomplishments throughout the permit term. Regular reports to the PA DEP will include copies of all materials presented, distributed, and made available to the public. The Borough will look to add additional MS4-related information under the Stormwater tab on their website.

BMP #4: Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

Identify the two additional methods of distributing stormwater educational materials during the previous reporting period (e.g., displays, posters, signs, pamphlets, booklets, brochures, radio, local cable TV, newspaper articles, other advertisements, bill stuffers, posters, presentations, conferences, meetings, fact sheets, giveaways, or storm drain stenciling).

The Borough is distributing MS4-related material through pamphlets made available at the Borough office. The Borough has also installed a television in the Lobby that loops various Borough information, including MS4-related materials. Copies of the materials presented are provided as supplemental information to MCM #1.

MCM #1 Comments:

The Borough will plan to improve and frequently update the website to offer new and/or updated stormwater information, look for methods to continually improve public outreach, look to include MS4-related information in the Moving Permit, and maintain postings in public areas. The Borough's first newsletter since 2018 will be distributed during the 2026-2027 reporting period.

MCM #1 Attachments:

File Name	Document Type	Short Description
PublicEducation&OutreachPlan-2026.pdf	**Public Education and Outreach Program Plan**	**PEOP**
MCM #1 Supplemental Information.pdf	**Stormwater Educational Materials**	**MCM #1 Supplemental Information**

MCM #2 – Public Involvement/Participation Module

BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)

1. For new permittees only, was the PIPP developed and implemented within one year of permit coverage? **Not Applicable**

2. Date of latest annual review of PIPP: **09/17/2026** Were updates made? **Yes**

BMP #2: Advertise to the public and solicit public input on ordinances, SOPs, Pollutant Reduction Plans (PRPs) (if applicable) and TMDL Plans (if applicable), including modifications thereto, prior to adoption or submission to DEP:

1. Was an MS4-related ordinance, SOP, PRP or TMDL Plan developed during the reporting period? **No**

2. If **Yes**, describe how you advertised the draft document(s) and how you provided opportunities for public review, input and feedback:

3. If an ordinance, SOP or plan was developed or amended during the reporting period, provide the following information:

Ordinance/SOP/Plan Name	Date of Public Notice	Date of Public Hearing	Date Enacted or Submitted to DEP
	No data available in table		

BMP #3: Regularly solicit public involvement and participation from the target audience groups using available distribution and outreach methods.

1. At least one public meeting or other MS4 event must be held during the 5-year permit coverage period to solicit participation and feedback from target audience groups. Was this meeting or event held during the reporting period? **No**

If **Yes**, Date of Meeting or Event:

2. Report instances of cooperation and participation in MS4 activities; presentations the permittee made to local watershed and conservation organizations; and similar instances of participation or coordination with organizations in the community.

The Borough hosted an Electronics Recycling Event on November 22, 2025. The Event collected 628 lbs of miscellaneous electronics, 3,143 lbs of TVs and monitors, 267 lbs. of PCs for a total of 4,038 lbs of electronics. 28 freon appliances were also collected during the event for proper disposal.

3. Report activities in which members of the public assisted or participated in the meetings and in the implementation of the SWMP, including education activities or efforts such as cleanups, monitoring, storm drain stenciling, or others.

All public meetings have a public involvement component which solicits input from the audience/public. Copies of Borough Council Meeting Minutes and the Stormwater Authority Minutes where MS4-related topics were discussed are provided as supplemental information to MCM #2 attached to this report. The Borough is also encouraging property owners to plant trees on their property and notify the Borough for tracking purposes. The Borough is exploring a way to track tree plantings on their website.

MCM #2 Comments:

MCM #2 Attachments:

File Name	Document Type	Short Description
Public Involvement and Participation Plan 2026-20260821.pdf	**Public Involvement/Participation Program Plan**	**PIPP**
MCM #2 Supplemental Information.pdf	**Other**	**MCM #2 Supplemental Information - Meeting Minutes and Electronics Recycling**

MCM #3 – Illicit Discharge Detection and Elimination (IDD&E)

BMP #1: Develop and implement a written program for the detection, elimination, and prevention of illicit discharges into the regulated small MS4.

1. For new permittees only, was the written IDD&E program developed within one year of permit coverage? **Not Applicable**

2. Date of latest annual review of IDD&E program: **09/17/2026** Were updates made? **Yes**

BMP #2: Develop and maintain map(s) that show permittee and urbanized area boundaries, the location of all outfalls and, if applicable, observation points, and the locations and names of all surface waters that receive discharges from those outfalls. Outfalls and observation points shall be numbered on the map(s).

1. Have you completed a map(s) that includes all components of BMP #2? **Yes**

If **Yes** and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If **No**, date by which permittee expects map(s) to be completed:

2. Date of last update or revision to map(s): **03/06/2018**

3. Total No. of Outfalls in MS4: **59** Total No. of Outfalls Mapped: **59**

4. Total No. of Observation Points: **0** Total No. of Observation Points Mapped: **0**

5. During the reporting period, have you identified any existing outfalls that have not been previously reported to DEP in an NOI, application or annual report, or are any new MS4 outfalls proposed for the next reporting period? **No**

If **Yes**, select: Existing Outfall(s) Identified New Outfall(s) Proposed

BMP #3: In conjunction with the map(s) created under BMP #2 (either on the same map or on a different map), the permittee shall develop and maintain map(s) that show the entire storm sewer collection system within the permittee's jurisdiction that are owned or operated by the permittee (including roads, inlets, piping, swales, catch basins, channels, and any other components of the storm sewer collection system), including privately-owned components of the collection system where conveyances or BMPs on private property receive stormwater flows from upstream publicly-owned components.

1. Have you completed a map(s) that includes all components of BMP #3? **Yes**

If **Yes** and you are a new permittee and have not submitted the map(s) previously, attach the map(s) to this report.

If **No**, date by which permittee expects map(s) to be completed:

2. If **Yes** to #1, is the map(s) on the same map(s) as for outfalls and receiving waters? **No**

3. Date of last update or revision to map(s): **06/15/2020**

BMP #4: Conduct dry weather screenings of MS4 outfalls to evaluate the presence of illicit discharges. If any illicit discharges are present, the permittee shall identify the source(s) and take appropriate actions to remove or correct any illicit discharges. The permittee shall also respond to reports received from the public or other agencies of suspected or confirmed illicit discharges associated with the storm sewer system, as well as take enforcement action as necessary. The permittee shall immediately report to DEP illicit discharges that would endanger users downstream from the discharge, or would otherwise result in pollution or create a danger of pollution or would damage property.

For new permittees, all identified outfalls (and if applicable observation points) must be screened during dry weather at least twice within the 5-year period following permit coverage. For existing permittees, all identified outfalls (and if applicable observation points) must be screen during dry weather at least once within the 5-year period following permit coverage and, for areas where past problems have been reported or known sources of dry weather flows occur on a continual basis, outfalls must be screened annually during each year of permit coverage.

1. How many unique outfalls (and if applicable observation points) were screened during the reporting period? **0**

2. Indicate the percentage of all outfalls screened in the past five years. **100 %**

3. Indicate the percent of outfalls screened during the reporting period that revealed dry weather flows: **0 %**

4. Did any dry weather flows reveal color, turbidity, sheen, odor, floating or submerged solids? **No**

5. If **Yes** for #4, attach all sample results to this report with a map identifying the sample location. Explain the corrective action(s) taken in the attachment.

6. Do you use the MS4 Outfall Field Screening Report form **(3800-FM-BCW0521)** (https://greenport.pa.gov/elibrary/GetFolder?FolderID=2740) provided in the permit? **Yes**

If **No**, attach a copy of your screening report form.

BMP #5: Enact a Stormwater Management Ordinance or SOP to implement and enforce a stormwater management program that includes prohibition of non-stormwater discharges to the regulated small MS4.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that prohibits non-stormwater discharges? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
11/07/2022	**Borough of Fountain Hill**

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j) with respect to authorized non-stormwater discharges? **Yes**

If **Yes** to #1 and the ordinance or SOP has not been submitted to DEP previously, attach the ordinance or SOP.

3. Were there any violations of the ordinance or SOP during the reporting period? **No**

If **Yes** to #3, complete the table below (attach additional sheets as necessary).

Violation Date	Nature of Violation	Responsible Party	Enforcement Taken
No data available in table			

4. Did you approve any waiver or variance during the reporting period that allowed an exception to non-stormwater discharge provisions of an ordinance or SOP? **No**

If **Yes** to #4, identify the entity that received the waiver or variance and the type of non-stormwater discharge approved.

BMP #6: Provide educational outreach to public employees, business owners and employees, property owners, the general public and elected officials (i.e., target audiences) about the program to detect and eliminate illicit discharges.

1. Was IDD&E-related information distributed to public employees, businesses, and the general public during the reporting period? **Yes**

If **Yes**, what was distributed?

In previous years, the brochure "When it Rains, it Drains" has been distributed and made available at the Borough office building. The brochure identifies to readers what constitutes the storm sewer and encourages people to look for signs of soil and other pollutants leaving construction sites or tracked onto roads. The brochure implores people to contact the Borough or the PA DEP. Efforts will be made to have this brochure distributed during the next reporting period.

2. Is there a well-publicized method for employees, businesses and the public to report stormwater pollution incidents? **Yes**

3. Do you maintain documentation of all responses, action taken, and the time required to take action? **Yes**

MCM #3 Comments:

All outfalls were screened in 2022. Another round of outfall screenings will be conducted in 2027.

MCM #3 Attachments:

File Name	Document Type	Short Description
IDDEP - FINAL 2026.pdf	**IDD&E Program Plan**	**IDD&E Plan**

MCM #4 – Construction Site Stormwater Runoff Control

Are you relying on PA's statewide program for stormwater associated with construction activities to satisfy this MCM? **Yes**

(If **Yes**, respond to questions for BMP Nos. 1, 2 and 3 only in this section. If No, respond to questions for all BMPs in this section)

BMP #1: Develop, implement and maintain a written Public Involvement and Participation Program (PIPP)

During the reporting period, did you comply with 25 Pa. Code § 102.43 (relating to withholding building or other permits or approvals until DEP or a county conservation district (CCD) has approved NPDES permit coverage)? Note: If no building permit applications were received you may select Not Applicable. **Yes**

BMP #2: A municipality or county which issues building or other permits shall notify DEP or the applicable CCD within 5 days of the receipt of an application for a permit involving an earth disturbance activity consisting of one acre or more, in accordance with 25 Pa. Code § 102.42.

During the reporting period, did you comply with 25 Pa. Code § 102.42 (relating to notifying DEP/CCD within 5 days of receiving an application involving an earth disturbance activity of one acre or more)? Note: If no building permit applications were received you may select Not Applicable. **Yes**

BMP #3: Enact, implement and enforce an ordinance or SOP to require the implementation and maintenance of E&S control BMPs, including sanctions for non-compliance, as applicable.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of E&S control BMPs? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
11/07/2022	**Borough of Fountain Hill**

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #4: Review Erosion and Sediment (E&S) control plans to ensure that such plans adequately consider water quality impacts and meet regulatory requirements.

Specify the number of E&S Plans you reviewed during the reporting period:

Not Applicable

BMP #5: Conduct inspections regarding installation and maintenance of E&S control measures during earth disturbance activities. Maintain records of site inspections, including dates and inspection results, in accordance with the record retention requirements in this permit.

Specify the number of E&S inspections you completed during the reporting period:

Not Applicable

BMP #6: Conduct enforcement when installation and maintenance of E&S control measures during earth disturbance activities does not comply with permit and/or regulatory requirements.

Specify the number of enforcement actions you took during the reporting period for improper E&S:

Not Applicable

BMP #7: Develop and implement requirements for construction site operators to control waste at construction sites that may cause adverse impacts to water quality. The permittee shall provide education on these requirements to construction site operators.

Specify the method(s) by which you are educating construction site operators on controlling waste at construction sites:

Not Applicable

BMP #8: Develop and implement procedures for the receipt and consideration of public inquiries, concerns, and information submitted by the public to the permittee regarding local construction activities.

1. A tracking system has been established for receipt of public inquiries and complaints. **Not Applicable**

2. Specify the number of inquiries and complaints received during the reporting period:

Not Applicable

MCM #4 Comments:

MCM #4 Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

MCM #5 – Post-Construction Stormwater Management in New Development & Redevelopment Module

BMP #1: Enact, implement and enforce an ordinance or SOP to require post-construction stormwater management from new development and redevelopment projects, including sanctions for non-compliance.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that requires implementation and maintenance of post-construction stormwater management (PCSM) BMPs? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
11/07/2022	**Borough of Fountain Hill**

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PM-BCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #2: Develop and implement measures to encourage and expand the use of Low Impact Development (LID) in new development and redevelopment. Measures should also be included to encourage retrofitting LID into existing development. Enact ordinances consistent with LID practices and repeal sections of ordinances that conflict with LID practices.

1. Do you have an ordinance (municipal) or SOP or other mechanism (non-municipal) that encourages and expands the use of LID in new development and redevelopment? **Yes**

If **Yes**, indicate the date of the ordinance or SOP:

Date of the Ordinance	Borough/Township Name?
11/07/2022	**Borough of Fountain Hill**

2. If **Yes** to #1, is the ordinance or SOP consistent with DEP's 2022 Model Stormwater Management Ordinance (3800-PMBCW0100j)? **Yes**

3. If **Yes** to #1 and the ordinance or SOP has not been submitted previously, attach a copy of the ordinance or SOP.

BMP #3: Ensure adequate O&M of all post-construction stormwater management BMPs that have been installed at development or redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale.

1. Do you have an inventory of all PCSM BMPs that were installed to meet requirements in NPDES Permits for Stormwater Discharges Associated with Construction Activities approved since March 10, 2003? **Yes**

If **Yes** to #1, complete PCSM BMP Inventory Table below.

Table 1. To complete the information needed for MCM #5, BMP #3, list all existing structural BMPs that discharge stormwater to the permittee's MS4 that were installed to satisfy PCSM requirements for earth disturbance activities under Chapter 102, and provide the requested information.

Note: Any BMP data entered/uploaded will be prepopulated in the next reporting year.

You may enter your BMPs manually or upload them using our template. Click the File Upload bar to download the PCSM BMP template and upload your inventory.

BMP No.	BMP Name	Date Installed	Date of Latest Inspection	Satis factory	Active	Action
1	Other	09/10/2011	05/07/2026	✔	Yes	

2. Has proper O&M occurred during the reporting period for all PCSM BMPs? **Yes**

3. If **No** to #2, explain what action(s) the permittee has taken or plans to take to ensure proper O&M.

(If you are relying on PA's statewide program for stormwater associated with construction activities, you may skip to MCM #6, otherwise complete all questions for BMPs #4 - #6 in this section.)

BMP #4: Require the implementation of a combination of structural and/or non-structural BMPs that are appropriate to the local community, that minimize water quality impacts, and that are designed to maintain pre-development runoff conditions.

1. Specify the number of PCSM Plans reviewed during the reporting period for projects disturbing greater than or equal to one acre (including projects less than one acre that are part of a larger common plan of development or sale).

Not Applicable

2. Has a tracking system been established and maintained to record qualifying projects and their associated BMPs? **Not Applicable**

BMP #5: Ensure that controls are installed that shall prevent or minimize water quality impacts. The permittee shall inspect all qualifying development or redevelopment projects during the construction phase to ensure proper installation of the approved structural PCSM BMPs. A tracking system (e.g., database, spreadsheet, or written list) shall be implemented to track the inspections conducted and to track the results of the inspections (e.g., BMPs were, or were not, installed properly).

1. During the reporting period have you inspected all qualifying development and redevelopment projects during the construction phase to ensure proper installation of approved structural BMPs? **Not Applicable**

2. Has a tracking system been established and maintained to record results of inspections? **Not Applicable**

BMP #6: Develop a written procedure that describes how the permittee shall address all required components of this MCM.

Have you developed a written plan that addresses: 1) minimum requirements for use of structural and/or non-structural BMPs in plans for development and redevelopment; 2) criteria for selecting and standards for sizing stormwater BMPs; and 3) implementation of an inspection program to ensure that BMPs are properly installed? **Not Applicable**

MCM #5 Comments:

MCM #5 Attachments:

File Name	Document Type	Short Description
Dollar General PCSM BMP Inspection Documents.pdf	**Other**	**PCSM BMP Inventory - Inspection Documents Dollar General**

MCM #6 – Pollution Prevention / Good Housekeeping Module

BMP #1: Identify and document all operations that are owned or operated by the permittee and have the potential for generating pollution in stormwater runoff to the MS4. This includes activities conducted by contractors for the permittee.

1. Have you identified all facilities and activities owned and operated by the permittee that have the potential to generate stormwater runoff into the MS4? **Yes**

2. When was the inventory last reviewed? **09/17/2026**

3. When was it last updated? **09/24/2022**

BMP #2: Develop, implement and maintain a written O&M program for all operations that could contribute to the discharge of pollutants from the MS4, as identified under BMP #1. This program shall address stormwater collection or conveyance systems within the regulated MS4.

1. Have you developed a written O&M program for the operations identified in BMP #1? **Yes**

2. Date of last review or update to written O&M program: **09/17/2026**

BMP #3: Develop and implement an employee training program that addresses appropriate topics to further the goal of preventing or reducing the discharge of pollutants from operations to the regulated small MS4. All relevant employees and contractors shall receive training.

1. Have you developed an employee training program? **Yes**

2. Date of last review or update to training program: **09/17/2026**

Date of latest training: **06/08/2026**

3. Training topics covered:

Tailgate Trainings related to IDD&E and inlet filter bag cleaning and maintenance were presented by Jason Quarry on the following dates: September 12, 2025, March 10, 2026, and June 8, 2026.

4. Name(s) of training presenter(s):

Jason Quarry, Public Works Supervisor

5. Names of training attendees:

All Public Works Staff.

MCM #6 Comments:

MCM #6 Attachments:

File Name	Document Type	Short Description
OMProgram-Last Rev August 2017-2026.pdf	**Good Housekeeping/O&M Program**	**O&M Program**
Training Program - FINAL 2026.pdf	**Stormwater Training Program**	**Stormwater Training Program**
2025-2026 Inlet Filter Bag Data.pdf	**Other**	**Inlet Filter Bag Cleaning/Maintenance Logs**
Inventory-Facilities-Spill Prevention - FINAL 2026.pdf	**MCM 6 Facility Inventory**	**Inventory and Spill Prevention Plan**

Appendix Selection

Review and select the appropriate appendices below. If none of the appendices apply, select None.

- [ ] Appendix A
- [ ] Appendix B
- [x] Appendix C
- [ ] Appendix D
- [x] Appendix E
- [ ] Appendix F
- [ ] None

Pollutant Control Measures (PCMs) Module

Indicate the status of implementing PCMs in Appendices A, B and/or C by completing the table below. Skip this section if PCMs are not applicable.

Task	Attached	Date Completed	Anticipated Completion Date
Storm Sewershed Map(s)	☐	**08/08/2017**	
Source Inventory	☐	**09/20/2020**	
Investigation of Suspected Sources	☐	**09/20/2020**	
Ordinance/SOP for Controlling Animal Wastes	☐		

PCM Comments:

The Borough and its history was reviewed as part of the Appendix C requirement and no known or suspected inventories were discovered. The PCB impairment that occurs approximately 3 miles downstream of the Borough's boundary is likely due to other potential past or present sources.

PCM Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

Pollutant Reduction Plans (PRPs) and TMDL Plans Module

1. Complete this section if the development and submission of a PRP and/or TMDL Plan was required as an attachment to the latest NOI or application or was required by the permit, regardless of whether DEP has approved the plan(s).

Type of Plan	Pending Approval	Submission Date	DEP Approval Date	Surface Waters Addessed by Plan
Chesapeake Bay PRP (Appendix D)				
Impaired Waters PRP (Appendix E)		**06/20/2018**	**06/26/2018**	**Lehigh River**
TMDL Plan (Appendix F)				
Combined Chesapeake Bay / Impaired Waters PRP (include Chesepeake Bay in your entry)				
Combined PRP / TMDL Plan				

Joint Plan ☐ (if checked, list the name of the MS4 group or names of all entities participating in the joint plan below)

Joint Plan Participants:

2. Identify the pollutants of concern and pollutant load reduction requirements under the permit.

Type of Plan	Select	TSS Load Reduction (lbs/yr)	TP Load Reduction (lbs/yr)	TN Load Reduction (lbs/yr)
Chesapeake Bay PRP (Appendix D)	☐			
Impaired Waters PRP (Appendix E)	☑	**2,900**	**0**	**0**

Type of Plan	Select	TSS Load Reduction (lbs/yr)	TP Load Reduction (lbs/yr)	TN Load Reduction (lbs/yr)
TMDL Plan (Appendix F)	☐			
Combined Chesapeake Bay / Impaired Waters PRP	☐			
Combined PRP / TMDL Plan	☐			

3. Date Final Report Demonstrating Achievement of Pollutant Load Reductions Due: **09/30/2023**

4. Have any modifications to the plan(s) occurred since DEP approval? **No**

- If **Yes** to #4, was the updated plan(s) submitted to DEP?
- If **Yes** to #4, did you comply with the public participation requirements of the applicable appendix?
- If **Yes** to #4, describe the plan modifications.

5. Summary of progress achieved during reporting period.

The Borough has been cleaning and maintaining the forty (40) installed inlet filter bags. Please refer to BMP Inventory for PRP Implementation Module and the supplemental information provided as part of this Section. The Borough Public Works Department has removed 4,475 pounds (dry weight) of sediment during this reporting period and a total of 37,679 pounds (dry weight) of sediment during this Permit Term (beginning November 2020). The approved PRP required the Borough to meet 2,900.3 pounds of sediment per year. Based on the performance of the inlet filter bags and proposed future BMPs, the Borough will and has achieved the required sediment reductions.

6. Anticipated activities for next reporting period.

The Borough will continue to regularly clean (and maintain/replace) the inlet filter bags and assess their efficiencies in relation to the amount of sediment removal needed to fulfill the requirements of the PRP. Additionally, the Borough has been focusing on the proposed BMP at the Borough Park Facility. Design completion and bidding is anticipated during Winter 2026/2027 with construction proposed in Fall 2027. Future annual reports will address updates regarding the progress with this BMP.

PRP/TMDL Comments:

PRP/TMDL Plan Attachments:

File Name	Document Type	Short Description
No attachments in the table.		

BMPs For PRP/TMDL Plan Implementation Module Tables

New BMPs For PRP/TMDL Plan Implementation Table

Table 2. List all new structural BMPs installed and ongoing non-structural BMPs implemented during the reporting period that are being used toward achieving load reductions in the permittee's PRP and/or TMDL Plan.

If you are a member of a regional PRP, report only those BMPs implemented within your municipal boundary. If you are reporting a joint BMP in which credit is shared with another permittee(s), report only your portion of the BMP credit.

Note: Any new BMP data entered will be prepopulated in the next reporting year.

BMP No.	BMP Name	Date Installed/ Implemented	Annual Sediment Load Reduction (lbs/year)	Satis factory	Active	Action
No data available in table						

BMP Inventory For PRP/TMDL Plan Implementation Table

Table 3. All existing structural BMPs that have been installed in prior reporting periods and are eligible to use toward achieving load reductions in the permittee's PRP and/or TMDL Plan

BMP No.	BMP Name	Date Installed/ Implemented	Annual Sediment Load Reduction (lbs/year)	Satis factory	Active	Action
1	Filtering Practices	06/10/2019	216	✔	Yes	
2	Filtering Practices	06/10/2019	88	✔	Yes	
3	Filtering Practices	06/10/2019	75	✔	Yes	
4	Filtering Practices	06/10/2019	75	✔	Yes	
5	Filtering Practices	06/10/2019	113	✔	Yes	
6	Filtering Practices	06/10/2019	125	✔	Yes	
7	Filtering Practices	06/10/2019	87	✔	Yes	
8	Filtering Practices	06/10/2019	87	✔	Yes	
9	Filtering Practices	06/10/2019	131	✔	Yes	
10	Filtering Practices	06/10/2019	222	✔	Yes	
11	Filtering Practices	06/10/2019	175	✔	Yes	
12	Filtering Practices	06/10/2019	204	✔	Yes	
13	Filtering Practices	06/10/2019	173	✔	Yes	
14	Filtering Practices	06/10/2019	161	✔	Yes	
15	Filtering Practices	06/10/2019	129	✔	Yes	
16	Filtering Practices	06/10/2019	195	✔	Yes	
17	Filtering Practices	06/10/2019	69	✔	Yes	
18	Filtering Practices	06/10/2019	147	✔	Yes	
19	Filtering Practices	06/20/2020	23	✔	Yes	
20	Filtering Practices	06/20/2020	48	✔	Yes	
21	Filtering Practices	06/20/2020	261	✔	Yes	
22	Filtering Practices	06/20/2020	215	✔	Yes	
23	Filtering Practices	06/20/2020	196	✔	Yes	
24	Filtering Practices	06/20/2020	43	✔	Yes	
25	Filtering Practices	06/20/2020	128	✔	Yes	
26	Filtering Practices	06/20/2020	163	✔	Yes	
27	Filtering Practices	06/20/2020	134	✔	Yes	
28	Filtering Practices	06/20/2020	119	✔	Yes	

BMP No.	BMP Name	Date Installed/ Implemented	Annual Sediment Load Reduction (lbs/year)	Satis factory	Active	Action
29	Filtering Practices	06/20/2020	103	✔	Yes	
30	Filtering Practices	06/20/2020	125	✔	Yes	
31	Filtering Practices	06/20/2020	121	✔	Yes	
32	Filtering Practices	06/20/2020	123	✔	Yes	
33	Filtering Practices	06/20/2020	109	✔	Yes	
34	Filtering Practices	06/20/2020	325	✔	Yes	
35	Filtering Practices	06/20/2020	257	✔	Yes	
36	Filtering Practices	06/20/2020	163	✔	Yes	
37	Filtering Practices	06/20/2020	89	✘	Yes	
38	Filtering Practices	06/20/2020	120	✔	Yes	
39	Filtering Practices	06/20/2020	192	✔	Yes	
40	Filtering Practices	06/20/2020	182	✔	Yes	
41	Filtering Practices	06/20/2020	225	✔	Yes	
42	Filtering Practices	06/20/2020	234	✔	Yes	

Reviewer Comment(s) & User Response(s)

Reviewer/User Name	Date Added	Comment/Response
No data available in table		

Certification

1. **Login to GreenPort and go to launch the MS4 Annual Reporting System.**
2. **Review this MS4 Report.**
3. **Sign the Report.**

After the report is signed by all responsible officials, you will be able to submit the report.

For PAG-13 Permittees: I have read the latest PAG-13 General Permit issued by DEP and agree and certify that (1) the permittee continues to be eligible for coverage under the PAG-13 General Permit and (2) the permittee will continue to comply with the conditions of that permit, including any modifications thereto. I understand that if I do not agree to the terms and conditions of the PAG-13 General Permit, I will apply for an individual permit within 90 days of publication of the General Permit. I also acknowledge that any facility construction needed to comply with the General Permit requirements shall be designed, built, operated, and maintained in accordance with operative laws and regulations.

For All Permittees: I certify under penalty of law that this report was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

FOUNTAIN HILL BORO MUNI AUTH LEHIGH CNTY - Signature

Name of Responsible Official:

Amy Burkhart

Telephone No.:

6108675081

Signature:

Document Signed

Date Signed:

09/24/2026 02:33 PM